

Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>
D865GLC/D865GBF	Intel	Intel 865G	005036	PASSED

<u>MODULE INFORMATION</u>				
Manufacturer Name: ATP Electronics				
Part #: AG32L64T8SQC4S				
MB: 256MB				
Config: 32M x 64				
DRAM: Samsung				
DRAM Part #: K4H560838D-TCCC rev D				
PCB Part: SG184T08L1 rev 1				
PCB_layer_count: 8 Layer				
Module Info: Unbuffered Non-ECC 400MHZ DDR DIMM				
Cas Latency: 3				
Assembly Type: Single Board/Non Stacked				

<u>SYSTEM INFORMATION</u>	<u>TESTING DETAILS</u>
<p><u>MINIMUM SYSTEM INFORMATION</u></p> <p>Minimum System: La Crosse Post Memory Count: 248 Processor Code: P4 2.60C Bios at time of test: BF86510A.86A.0038.P08 1 MCFT Memory Count: 248</p> <p><u>MAXIMUM SYSTEM INFORMATION</u></p> <p>Maximum System: La Crosse Post Memory Count: 1016 Processor Code: P4 2.60C Bios at time of test: BF86510A.86A.0038.P08 2 MCFT Memory Count: 1016</p>	<p>55°C Temperature: Standard Voltage</p> <p>Start Date: 7/31/2003 Stop Date: 8/2/2003 Insertion Test: Pass SPD Check: Pass MCFT Min: Pass MCFT Max: Pass S3 Test: Pass Power Cycle Test: Pass Power Cycle Time: 32</p>

<u>VENDOR CONTACT INFORMATION</u>	
Contact: Edward Chu	Contact Phone: (408) 732-5000 X 5 Purchase Order #:
Test Traveler Notes:	CMTL USE ONLY:
8MB shared for onboard video. Legacy USB Disabled.	Verified by: Emailed by:

Test Technician: Keith Patton

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM