

Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>
D915GEV/D915GUX/D915PCY/D915PCM/D915PBI	Intel	Intel D915	007151	PASSED

<u>MODULE INFORMATION</u>				
Manufacturer Name: Wintec Industries				
Part #: 39C131284B				
MB: 1GB				
Config: 128M x 64				
DRAM: Samsung				
DRAM Part #: K4T51083QB-GCCC rev B				
PCB Part: D2U872				
PCB_layer_count: 6 Layer				
Module Info: Unbuffered Non-ECC 400Mhz DDR2 DIMM				
Cas Latency: 3				
Assembly Type: Single Board/Non Stacked				

<u>SYSTEM INFORMATION</u>	<u>TESTING DETAILS</u>
<p><u>MINIMUM SYSTEM INFORMATION</u></p> <p>Minimum System: Eatonville/Luxemburg Post Memory Count: 1016 Processor Code: P4 3.20GHz 800MHz Bios at time of test: EV91510A.86A.0209.2004.0526₃ MCFT Memory Count: 1015M</p> <p><u>MAXIMUM SYSTEM INFORMATION</u></p> <p>Maximum System: Eatonville/Luxemburg Post Memory Count: 3199 Processor Code: P4 3.20GHz 800MHz Bios at time of test: EV91510A.86A.0209.2004.0526₄ MCFT Memory Count: 3198M</p>	<p>55°C Temperature: Standard Voltage</p> <p>Start Date: 8/3/2004 Stop Date: 8/4/2004 Insertion Test: Pass SPD Check: Pass MCFT Min: Pass MCFT Max: Pass S3 Test: Pass Power Cycle Test: Pass Power Cycle Time: 21</p>

<u>VENDOR CONTACT INFORMATION</u>	
Contact: Bo Zhang	Contact Phone: (510) 360-6364 Purchase Order #:
Test Traveler Notes:	CMTL USE ONLY:
	Verified by: Emailed by:

Test Technician: Thanh Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM