

Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>			
D865GLC/D865GBF/D865GRH	Intel	Intel 865G	011945	PASSED			
MODULE INFORMATION				Compatibility Ranking Level			
Manufacturer Name: Apacer Part #: 75.06392.G00 MB: 1GB Config: 128M x 64 DRAM: Samsung DRAM Part #: K4H510838C-UCCC rev C PCB Part: 48.16118.12G rev G PCB_layer_count: 6 Layer Module Info: Unbuffered Non-ECC 400Mhz		Cas Latency: 3 Dual Die Package: <input type="checkbox"/> Env. Code RoHS Bank: 2 Assembly Type: Single Board/Non Stacked DDR DIMM		<table border="1" style="width: 100%;"> <tr> <td style="text-align: center;">Certified CRL</td> </tr> <tr> <td style="text-align: center;"> </td> </tr> <tr> <td style="text-align: center; font-size: 2em;">2</td> </tr> </table>	Certified CRL		2
Certified CRL							
2							
SYSTEM INFORMATION		TESTING DETAILS					
MINIMUM SYSTEM INFORMATION Minimum System: D865GLC/D865GBF/D865GRH Serial Number: Board Revision: Post Memory Count: 1024 Processor Code: Bios at time of test: BF86510A.86A.0075.P24 MCFT Memory Count 1007 Max_HDD_Man: Max_HDD_Cap: Max_HDD_Ser:		55°C Temperature: Standard Voltage Start Date: 8/9/2006 Stop Date: 8/10/2006 Insertion Test: Pass SPD Check: Pass MCFT Min: Pass MCFT Max: Pass S3 Test: N/A Power Cycle Test: Pass Power Cycle Time: 24 OS: Windows Service Pack: NA Test Version: MCFT V2.24					
MAXIMUM SYSTEM INFORMATION Maximum System: D865GLC/D865GBF/D865GRH Serial Number: Board Revision: Post Memory Count: 4096 Processor Code: Bios at time of test: BF86510A.86A.0075.P24 MCFT Memory Count 3671 Max_HDD_Man: Max_HDD_Cap: Max_HDD_Ser:							
VENDOR CONTACT INFORMATION							
Contact: Chris Chang		Contact Phone: (866)2-3789-7726		Purchase Order #:			
Test Traveler Notes:			CMTL USE ONLY:				
			Verified by:				
			Emailed by:				

Test Technician: Chris Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM