

Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>			
DQ965CO	Intel	Intel® G965	012215	PASSED			
<u>MODULE INFORMATION</u>				<u>Compatibility Ranking Level</u>			
Manufacturer Name: Smart Modular Technologies Part #: SG646UDR64861-IB MB: 512MB Config: 64M x 64 DRAM: Qimonda (Infineon) DRAM Part #: HYB18T512800BF-25 rev B PCB Part: 240-8-2 na PCB_layer_count: 8 Layer Module Info: Unbuffered Non-ECC 800Mhz			Cas Latency: 6 Dual Die Package: <input type="checkbox"/> Env. Code RoHS Bank: 1 Assembly Type: Single Board/Non Stacked DDR2 DIMM	<table border="1" style="width: 100%;"> <tr> <td style="text-align: center;">Certified CRL</td> </tr> <tr> <td style="text-align: center;"> </td> </tr> <tr> <td style="text-align: center; font-size: 2em;">2</td> </tr> </table>	Certified CRL		2
Certified CRL							
2							
<u>SYSTEM INFORMATION</u>		<u>TESTING DETAILS</u>					
<p><u>MINIMUM SYSTEM INFORMATION</u></p> Minimum System: DQ965CO Serial Number: Board Revision: D37070-401 Post Memory Count: 512 Processor Code: Bios at time of test: MCFT Memory Count 510 Max_HDD_Man: Max_HDD_Cap: Max_HDD_Ser:		55°C Temperature: Standard Voltage Start Date: 8/28/2006 Stop Date: 8/29/2006 Insertion Test: Pass SPD Check: Pass MCFT Min: Pass MCFT Max: Pass S3 Test: N/A Power Cycle Test: Pass Power Cycle Time: 19 OS: N/A Service Pack: N/A Test Version: MCFT 2.24					
<p><u>MAXIMUM SYSTEM INFORMATION</u></p> Maximum System: DQ965CO Serial Number: AZCO62700407 Board Revision: D37070-401 Post Memory Count: 1024 Processor Code: P4 3.6Ghz 800Mhz Bios at time of test: MCFT Memory Count 1023 Max_HDD_Man: Max_HDD_Cap: Max_HDD_Ser:							
<u>VENDOR CONTACT INFORMATION</u>							
Contact: Jim Schwarz		Contact Phone:		Purchase Order #: 08/23/2006			
Test Traveler Notes:			CMTL USE ONLY:				
			Verified by: Emailed by:				

Test Technician: Chris Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM