




# Computer Memory Test Labs : Intel Advanced Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>																																				
SE7320VP2D2	Intel	Intel E7320	012293	PASSED																																				
<u>MODULE INFORMATION</u>				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Certified</td> <td style="text-align: center;">CRL</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center; font-size: 24pt;">7</td> </tr> </table>	Certified	CRL		7																																
Certified	CRL																																							
	7																																							
Manufacturer Name: <b>TRS</b>		Cas Latency: <b>3</b>																																						
Part #: <b>TRS31275</b>		Assembly: <b>Single Board/Non St</b>																																						
MB: <b>512MB</b>		Low Profile: <b>Yes</b>																																						
Config: <b>64M x 72</b>		Register Part #: <b>PI74SSTUA32864NB</b>																																						
DRAM: <b>Elpida</b>		PLL Part #: <b>PI6CU877NFE</b>																																						
DRAM Part #: <b>E5108AG-5C-E rev G</b>		Dual Die Package Support <input type="checkbox"/> Bank 1																																						
PCB Part: <b>M0551LA1 rev 1</b>		Environment Code		Lead-Free																																				
PCB_layer_count: <b>6 Layer</b>		Module Info: <b>Registered ECC</b>		<b>400Mhz DDR2 DIM</b>																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;"><u>PRE-TESTING INFORMATION</u></th> <th style="width: 33%;"><u>MINIMUM SYSTEM INFORMATION</u></th> <th style="width: 33%;"><u>MAXIMUM SYSTEM INFORMATION</u></th> </tr> </thead> <tbody> <tr> <td>Board Revision: D10582-201</td> <td>Minimum System: SE7320VP2D2</td> <td>Maximum System: SE7320VP2D2</td> </tr> <tr> <td>Insertion Test: Pass</td> <td>Serial Number: QSV251500022</td> <td>Serial Number: QSV251500032</td> </tr> <tr> <td>SPD Status: Pass</td> <td>Bios at time of test: SE7320VP21.86B.P.07.00.0037</td> <td>Bios at time of test: SE7320VP21.86B.P.07.00.0037</td> </tr> <tr> <td>Power Cycle Stat: N/A</td> <td>Processor Code: Xeon 3.6Ghz 800Mhz x 2</td> <td>Processor Code: Xeon 3.6Ghz 800Mhz x 2</td> </tr> <tr> <td>Power Cycle Time: 0</td> <td>Memory Count : 1024</td> <td>Memory Count : 3072</td> </tr> <tr> <td></td> <td>Event Log Verify: Clear</td> <td>Event Log Verify: Clear</td> </tr> <tr> <td></td> <td>OS Memory Count: 1GB</td> <td>OS Memory Count: 3GB</td> </tr> <tr> <td></td> <td>OS/Service Pack: Win2003 Server</td> <td>OS/Service Pack: Win2003 Server</td> </tr> <tr> <td></td> <td>Disk Man: Hitachi</td> <td>Disk Man: Hitachi</td> </tr> <tr> <td></td> <td>Disk Capacity: 82.3GB</td> <td>Disk Capacity: 64.1GB</td> </tr> <tr> <td></td> <td>Disk Serial #: S2RJBBGB</td> <td>Disk Serial #: C2SYJN0P</td> </tr> </tbody> </table>					<u>PRE-TESTING INFORMATION</u>	<u>MINIMUM SYSTEM INFORMATION</u>	<u>MAXIMUM SYSTEM INFORMATION</u>	Board Revision: D10582-201	Minimum System: SE7320VP2D2	Maximum System: SE7320VP2D2	Insertion Test: Pass	Serial Number: QSV251500022	Serial Number: QSV251500032	SPD Status: Pass	Bios at time of test: SE7320VP21.86B.P.07.00.0037	Bios at time of test: SE7320VP21.86B.P.07.00.0037	Power Cycle Stat: N/A	Processor Code: Xeon 3.6Ghz 800Mhz x 2	Processor Code: Xeon 3.6Ghz 800Mhz x 2	Power Cycle Time: 0	Memory Count : 1024	Memory Count : 3072		Event Log Verify: Clear	Event Log Verify: Clear		OS Memory Count: 1GB	OS Memory Count: 3GB		OS/Service Pack: Win2003 Server	OS/Service Pack: Win2003 Server		Disk Man: Hitachi	Disk Man: Hitachi		Disk Capacity: 82.3GB	Disk Capacity: 64.1GB		Disk Serial #: S2RJBBGB	Disk Serial #: C2SYJN0P
<u>PRE-TESTING INFORMATION</u>	<u>MINIMUM SYSTEM INFORMATION</u>	<u>MAXIMUM SYSTEM INFORMATION</u>																																						
Board Revision: D10582-201	Minimum System: SE7320VP2D2	Maximum System: SE7320VP2D2																																						
Insertion Test: Pass	Serial Number: QSV251500022	Serial Number: QSV251500032																																						
SPD Status: Pass	Bios at time of test: SE7320VP21.86B.P.07.00.0037	Bios at time of test: SE7320VP21.86B.P.07.00.0037																																						
Power Cycle Stat: N/A	Processor Code: Xeon 3.6Ghz 800Mhz x 2	Processor Code: Xeon 3.6Ghz 800Mhz x 2																																						
Power Cycle Time: 0	Memory Count : 1024	Memory Count : 3072																																						
	Event Log Verify: Clear	Event Log Verify: Clear																																						
	OS Memory Count: 1GB	OS Memory Count: 3GB																																						
	OS/Service Pack: Win2003 Server	OS/Service Pack: Win2003 Server																																						
	Disk Man: Hitachi	Disk Man: Hitachi																																						
	Disk Capacity: 82.3GB	Disk Capacity: 64.1GB																																						
	Disk Serial #: S2RJBBGB	Disk Serial #: C2SYJN0P																																						
<b>TESTING DETAILS FOR PHASE 1</b>			<b>TESTING DETAILS FOR PHASE 2</b>		<b>TESTING DETAILS FOR PHASE 3</b>																																			
Ambient Temperature : Standard Voltage			55°C Temperature : 1.69 (- 6 %) Volts		55°C Temperature : 1.90 (+ 6 %) Volts																																			
Start Date:			Start Date: 9/13/06		Start Date: 9/13/06																																			
Stop Date:			Stop Date: 9/15/06		Stop Date: 9/15/06																																			
Min MCFT Test Status: N/A			Min WINPIE Test Status: Pass		Min WINPIE Test Status: Pass																																			
Max MCFT Test Status: N/A			Max WINPIE Test Status: Pass		Max WINPIE Test Status: Pass																																			
SEL/Outrider Min:			SEL/Outrider Min: Pass		SEL/Outrider Min: Pass																																			
SEL/Outrider Max:			SEL/Outrider Max: Pass		SEL/Outrider Max: Pass																																			
Summary Min:			Summary Min: Pass		Summary Min: Pass																																			
Summary Max:			Summary Max: Pass		Summary Max: Pass																																			
Ph1 Package: N/A			Ph2 Package1: WinPIE 4.30		Ph3 Package1: WinPIE 4.30																																			
Test Phase Status: <b>N/A</b>			Test Phase Status: <b>Pass</b>		Test Phase Status: <b>Pass</b>																																			
Single Bit Errors <input type="checkbox"/>																																								
QTY:																																								
<b><u>VENDOR CONTACT INFORMATION</u></b>																																								
Contact:		Contact Phone:		Purchase Order #:																																				
Guido Ries		+49 7249 910-380		1.06226.98.360																																				
Test Traveler Notes:					CMTL USE ONLY:																																			
					Verified by:																																			
					Emailed by:																																			

Test Technician: Thanh Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility. Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP® Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

[WWW.CMTLABS.COM](http://WWW.CMTLABS.COM)