




Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>				
D865GSA	Intel	Intel 865G	012621	PASSED				
<u>MODULE INFORMATION</u>				<u>Compatibility Ranking Level</u>				
Manufacturer Name: Dataram Part #: DTM63668D MB: 512MB Config: 64M x 64 DRAM: Qimonda DRAM Part #: HYB25D256800CE-5 rev C PCB Part: 40570 rev A PCB_layer_count: 6 Layer Module Info: Unbuffered Non-ECC 400Mhz			Cas Latency: 3 Dual Die Package: <input type="checkbox"/> Env. Code RoHS Bank: 1 Assembly Type: Single Board/Non Stacked DDR DIMM	<table border="1" style="margin: auto;"> <tr> <td style="text-align: center;">Certified CRL</td> <td style="text-align: center;">5</td> </tr> <tr> <td colspan="2" style="text-align: center;">  </td> </tr> </table>	Certified CRL	5		
Certified CRL	5							
								
<u>SYSTEM INFORMATION</u>		<u>TESTING DETAILS</u>						
<u>MINIMUM SYSTEM INFORMATION</u> Minimum System: D865GSA Serial Number: AZSA61100129 Board Revision: D53275-100 Post Memory Count: 512 Processor Code: P4 3.6Ghz 800Mhz Bios at time of test: SA86510A.86A.0007.2006.0314.1805 MCFT Memory Count 495M 888K Max_HDD_Man: Max_HDD_Cap: Max_HDD_Ser:		55°C Temperature: Standard Voltage Start Date: 10/31/2006 Stop Date: 11/1/2006 Insertion Test: Pass SPD Check: Pass MCFT Min: Pass MCFT Max: Pass S3 Test: N/A Power Cycle Test: N/A Power Cycle Time: OS: NA Service Pack: NA Test Version: MCFT v2.24						
<u>MAXIMUM SYSTEM INFORMATION</u> Maximum System: D865GSA Serial Number: AZSA61100201 Board Revision: D53275-100 Post Memory Count: 1024 Processor Code: P4 3.6Ghz 800Mhz Bios at time of test: SA86510A.86A.0007.2006.0314.1805 MCFT Memory Count 1007M 888K Max_HDD_Man: Max_HDD_Cap: Max_HDD_Ser:								
<u>VENDOR CONTACT INFORMATION</u>								
Contact: Andi Barto		Contact Phone: (609) 799-0071 x 3		Purchase Order #: Advanced				
Test Traveler Notes:			CMTL USE ONLY:					
			Verified by: Emailed by:					

Test Technician: Thanh Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.xx), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM