


Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>
DP55SB	Intel	Intel® P55	017116	PASSED
MODULE INFORMATION				Compatibility Ranking Level
Manufacturer Name: Kingston		Module ID: KIN284		<div style="display: flex; justify-content: space-between; align-items: center;"> Certified CRL 6 </div> 
Part #:	KVR1066D3N7/2G			
MB:	2GB			
Config:	256M x 64		Cas Latency: 7	
DRAM:	Kingston		Dual Die Package: <input type="checkbox"/>	
DRAM Part #:	D1288JEKAPGA7U rev A		Env. Code RoHS	
PCB Part:	2025403-0F1.A00 rev A, R/C B rev 0		Bank: 2	
PCB_layer_count:	6 Layer	Assembly Type: Single Board/Non Stacked		
Module Info:	Unbuffered	Non-ECC	1066MHz	DDR3 DIMM
SYSTEM INFORMATION		TESTING DETAILS		
MINIMUM SYSTEM INFORMATION		55°C Temperature: Standard Voltage Start Date: 9/15/2009 Stop Date: 9/16/2009 Insertion Test: SPD Check: Pass MCFT Min: Pass MCFT Max: Pass S3 Test: Pass Power Cycle Test: N/A Power Cycle Time: OS: N/A Service Pack: N/A Test Version: RST Pro3 v3.02		
Minimum System:	DP55SB			
Serial Number:	AZSB92900028			
Board Revision:	E47220-302			
Post Memory Count:	4096MB			
Processor Code:	Intel® Core™ CPU 860 @ 2.80GHz, 64 A			
Bios at time of test:	KGIBX10J.86A.2924.2009.0721.1849			
MCFT Memory Count:	4G 768M			
Max_HDD_Man:				
Max_HDD_Cap:				
Max_HDD_Ser:				
MAXIMUM SYSTEM INFORMATION				
Maximum System:	DP55SB			
Serial Number:	AZSB9290000R			
Board Revision:	E47220-302			
Post Memory Count:	8192MB			
Processor Code:	Intel® Core™ CPU 860 @ 2.80GHz, 64 A			
Bios at time of test:	KGIBX10J.86A.2924.2009.0721.1849			
MCFT Memory Count:	8G 768M			
Max_HDD_Man:				
Max_HDD_Cap:				
Max_HDD_Ser:				
VENDOR CONTACT INFORMATION				
Contact:	Contact Phone:	Purchase Order #:		
Mike Mohney	714.424.3976			
Test Traveler Notes:			CMTL USE ONLY:	
			Verified by:	
			Emailed by:	

Test Technician: Thanh Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility, Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM