




Computer Memory Test Labs Final Report

<u>MOTHERBOARD</u>	<u>MANUFACTURER</u>	<u>CHIPSET</u>	<u>TEST NUMBER</u>	<u>TEST STATUS</u>																										
DP55WB	Intel	Intel® P55	017128	PASSED																										
MODULE INFORMATION				Compatibility Ranking Level																										
Manufacturer Name: Kingston		Module ID: KIN286		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Certified</td> <td style="padding: 2px;">CRL</td> </tr> <tr> <td style="text-align: center;"></td> <td style="text-align: center; font-size: 24pt;">4</td> </tr> </table>	Certified	CRL		4																						
Certified	CRL																													
	4																													
Part #: KVR1333D3N9/1G		Cas Latency: 9																												
MB: 1GB		Dual Die Package: <input type="checkbox"/>																												
Config: 128M x 64		Env. Code RoHS																												
DRAM: Elpida		Bank: 1																												
DRAM Part #: EDJ1108BDBG-DJ-F rev B		Assembly Type: Single Board/Non Stacked																												
PCB Part: 2025402-0F1.C00 rev C, R/C A rev 0		DDR3 DIMM																												
PCB_layer_count: 6 Layer																														
Module Info: Unbuffered		Non-ECC 1333MHz																												
SYSTEM INFORMATION		TESTING DETAILS																												
MINIMUM SYSTEM INFORMATION		<table style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">55°C Temperature: Standard Voltage</td> </tr> <tr> <td>Start Date:</td> <td>9/10/2009</td> </tr> <tr> <td>Stop Date:</td> <td>9/14/2009</td> </tr> <tr> <td>Insertion Test:</td> <td></td> </tr> <tr> <td>SPD Check:</td> <td>Pass</td> </tr> <tr> <td>MCFT Min:</td> <td>Pass</td> </tr> <tr> <td>MCFT Max:</td> <td>Pass</td> </tr> <tr> <td>S3 Test:</td> <td>Pass</td> </tr> <tr> <td>Power Cycle Test:</td> <td>N/A</td> </tr> <tr> <td>Power Cycle Time:</td> <td></td> </tr> <tr> <td>OS:</td> <td>N/A</td> </tr> <tr> <td>Service Pack:</td> <td>N/A</td> </tr> <tr> <td>Test Version:</td> <td>RST Pro3 v3.02</td> </tr> </table>			55°C Temperature: Standard Voltage		Start Date:	9/10/2009	Stop Date:	9/14/2009	Insertion Test:		SPD Check:	Pass	MCFT Min:	Pass	MCFT Max:	Pass	S3 Test:	Pass	Power Cycle Test:	N/A	Power Cycle Time:		OS:	N/A	Service Pack:	N/A	Test Version:	RST Pro3 v3.02
55°C Temperature: Standard Voltage																														
Start Date:	9/10/2009																													
Stop Date:	9/14/2009																													
Insertion Test:																														
SPD Check:	Pass																													
MCFT Min:	Pass																													
MCFT Max:	Pass																													
S3 Test:	Pass																													
Power Cycle Test:	N/A																													
Power Cycle Time:																														
OS:	N/A																													
Service Pack:	N/A																													
Test Version:	RST Pro3 v3.02																													
Minimum System: DP55WB																														
Serial Number: AZWB9260000C																														
Board Revision: E64798-201																														
Post Memory Count: 2048MB																														
Processor Code: Intel® Core™ CPU 860 @ 2.80GHz, 64 A																														
Bios at time of test: WBIBX10J.86A.0047.2009.0612.0128																														
MCFT Memory Count: 2038M 752K																														
Max_HDD_Man:																														
Max_HDD_Cap:																														
Max_HDD_Ser:																														
MAXIMUM SYSTEM INFORMATION																														
Maximum System: DP55WB																														
Serial Number: AZWB9260000E																														
Board Revision: E64798-201																														
Post Memory Count: 4096MB																														
Processor Code: Intel® Core™ CPU 860 @ 2.80GHz, 64 A																														
Bios at time of test: WBIBX10J.86A.0047.2009.0612.0128																														
MCFT Memory Count: 4G 768M																														
Max_HDD_Man:																														
Max_HDD_Cap:																														
Max_HDD_Ser:																														
VENDOR CONTACT INFORMATION																														
Contact: Mike Mohney		Contact Phone: 714.424.3976		Purchase Order #:																										
Test Traveler Notes:			CMTL USE ONLY:																											
			Verified by:																											
			Emailed by:																											

Test Technician: Thanh Nguyen

In the event of a module failure, CMTL is not required to provide root cause analysis. Accuracy of testing is restricted to the above mentioned module with specific DRAM, PCB and other components as listed and tested with the CMTL Memory Compatibility, Functionality Test, Microsoft Advanced Server 2000®, Windows NT 4.0 Enterprise Edition®, Windows XP®, Windows 98 SE®, Dos 6.22®, MSTRESS® (v x.x), XLINEAR® (v x.xx), FXLINEAR® (v x.xx), Patin® (v x.x), WinMTA® (v x.xx). (Voltage margining applied only to those systems that are applicable.)

WWW.CMTLABS.COM